

# dl2asp: Implementing Default Logic via Answer Set Programming

Yin Chen<sup>1</sup>, Hai Wan<sup>2</sup>, Yan Zhang<sup>3</sup>, and Yi Zhou<sup>3</sup>

<sup>1</sup> Department of Computer Science, South China Normal University,  
Guangzhou, China, 510631,

<sup>2</sup> School of Software, Sun Yat-Sen University, Guangzhou, China, 510275,

<sup>3</sup> School of Computing and Information Technology, University of Western Sydney,  
Penrith South DC, NSW 1797, Australia

**Abstract.** In this paper, we show that Reiter’s default logic in the propositional case can be translated into answer set programming by identifying the internal relationships among formulas in a default theory. Based on this idea, we implement a new default logic solver - `dl2asp`. We report some experimental results, in particular the application of `dl2asp` for solving the fair division problem in social choice theory.

**Keywords:** Default logic; Answer set programming; Nonmonotonic reasoning

## 1 Introduction

As a predominant approach for nonmonotonic reasoning, Default Logic (DL) [20] has attracted many researchers in the last three decades. Default logic is theoretically significant not only because of its elegant syntax and semantics, but also its expressive power to capture other important nonmonotonic reasoning approaches, such as autoepistemic logic, defeasible reasoning, and so on [1, 11, 8, 21].

However, despite the remarkable success on theoretical aspects, default logic has encountered huge difficulties from a practical viewpoint. Although many endeavors have been done [3, 18, 17], the implementation of default logic still remains unsatisfactory. Consequently, the practical value of default logic has been severely restricted.

This paper intends to address this issue by translating default logic into Answer Set Programming (ASP) [7], a promising approach that has been successfully implemented by a number of sophisticated solvers [6, 19, 12, 13]. It is well-known that ASP is a special case of default logic by restricting the formulas in default theories to atoms/literals [8, 21]. An interesting question arises whether the converse can also be done to some extent. In other words, is it possible to translate default logic back into answer set programming?

We answer this question positively. We show that default logic in the propositional case can be translated to answer set programming by identifying the

internal relationships among formulas in a default theory. By internal relationships, we mean those implication rules whose head is a formula, whose body is a set of formulas occurred in the default theory, and the body entails the head in propositional logic.

This translation is not only theoretically interesting but also of practical relevance. Based on the translation, we implement a new solver for default logic, called **dl2asp**. We report some experimental results, which demonstrate that the performance of **dl2asp** is rather satisfactory.

The paper is organized as follows. Section 2 recalls some basic notions and definitions in default logic and answer set programming. Section 3 presents the translation from default logic to answer set programming, and discusses some related properties. Section 4 explains the implementation of **dl2asp** in detail. Section 5 reports some experiments, while Section 6 considers an application of **dl2asp** for solving the fair division problem in social choice theory. Finally, Section 7 concludes the paper.

## 2 Preliminaries

### 2.1 Reiter's default logic

We consider Reiter's default logic [20] in propositional case. A *default theory*  $\Delta$  is a pair  $\langle W, D \rangle$ , where  $W$  is a set of propositional formulas and  $D$  is a set of *defaults* of the following form:

$$\alpha : \beta_1, \dots, \beta_n / \gamma, \quad (1)$$

where  $\alpha, \beta_1, \dots, \beta_n, \gamma$  are propositional formulas. In addition,  $\alpha$  is called the *prerequisite*,  $\beta_1, \dots, \beta_n$  the *justifications*, and  $\gamma$  the *conclusion* of the default. Let  $\Delta$  be a default theory. We use  $P_\Delta$ ,  $J_\Delta$  and  $C_\Delta$  to denote the sets of prerequisites, justifications and conclusions occurred in the default theory respectively.

**Definition 1 (Extension [20]).** Let  $\Delta = \langle W, D \rangle$  be a default theory and  $T$  a theory. We say that  $T$  is an extension of  $\Delta$  if  $T = \Gamma(T)$ , where for any theory  $S$ ,  $\Gamma(S)$  is the minimal set (in the sense of set inclusion) satisfying the following three conditions:

1.  $W \subseteq \Gamma(S)$ .
2.  $\Gamma(S)$  is a theory.
3. For any default rule  $\alpha : \beta_1, \dots, \beta_n / \gamma \in D$ , if  $\alpha \in \Gamma(S)$  and  $\neg\beta_i \notin S$ , ( $1 \leq i \leq n$ ), then  $\gamma \in \Gamma(S)$ .

*Example 1.* Consider the default theory  $\Delta_1 = \langle D_1, W_1 \rangle$ , where  $W_1 = \{\neg b \vee \neg c, c \vee d\}$  and  $D_1$  contains the following four defaults:

$$: \neg b / a, \quad (2)$$

$$: \neg a, \neg c / b, \quad (3)$$

$$: a \wedge \neg b / \neg d, \quad (4)$$

$$\neg c : \neg a / \neg a. \quad (5)$$

It can be checked that  $\Delta_1$  has two extensions (under equivalence):  $E_1 = Th(W_1 \cup \{a, \neg d\})$  and  $E_2 = Th(W_1 \cup \{\neg a, b\})$ .<sup>4</sup>

## 2.2 Answer set programming

An *answer set program* (program for short) is a set of *rules* of the following form:

$$a \leftarrow b_1, \dots, b_m, \text{not } b_{m+1}, \dots, \text{not } b_n, \quad (6)$$

where  $0 \leq m \leq n$ ,  $a$  is either an atom or  $\perp$ , and  $b_1, \dots, b_n$  are atoms. In addition,  $a$  is called the *head* of the rule and  $\{b_1, \dots, b_m, \text{not } b_{m+1}, \dots, \text{not } b_n\}$  the *body* of the rule. More specifically,  $\{b_1, \dots, b_m\}$  is called the *positive body* of the rule, while  $\{b_{m+1}, \dots, b_n\}$  is called the *negative body* of the rule. We call a rule a *constraint* if  $a$  is  $\perp$ , *fact* if  $n = 0$ , and *positive* if  $m = n$ .

Let  $X$  be a set of atoms. We say that  $X$  *satisfies* a rule of form (6) if  $X$  satisfies its head (i.e.  $a \in X$ ) whenever  $X$  satisfies its body (i.e.  $\{b_1, \dots, b_m\} \subseteq X$  and  $\{b_{m+1}, \dots, b_n\} \cap X = \emptyset$ ). Hence,  $X$  satisfies a constraint iff it does not satisfy its body.

**Definition 2 (Answer set [7]).** Let  $\Pi$  be a program and  $X$  a set of atoms. We say that  $X$  is an *answer set* of  $\Pi$  if  $X$  is the minimal set (in the sense of set inclusion) that satisfies  $\Pi^X$ , where  $\Pi^X$  is obtained as follows:

- delete all rules whose bodies are not satisfied by  $X$ ;
- delete **not**  $b_i$  in the bodies of the remaining rules.

Gelfond and Lifschitz [8] showed that answer set programming is a special case of default logic by simply rewriting a rule of form (6) to the following default:

$$b_1 \wedge \dots \wedge b_m : \neg b_{m+1}, \dots, \neg b_n / a. \quad (7)$$

Let  $\Pi$  be a program. By  $DL(\Pi)$ , we denote the default theory obtained from  $\Pi$  as above (Note that  $W$  in  $DL(\Pi)$  is obtained by facts in  $\Pi$ ). Then, the answer sets of  $\Pi$  and the extensions of  $DL(\Pi)$  are one-to-one corresponded.

**Theorem 1 (From ASP to DL [8]).** Let  $\Pi$  be a program and  $X$  a set of atoms. Then,  $X$  is an answer set of  $\Pi$  iff  $Th(X)$  is an extension of  $DL(\Pi)$ .

An interesting question arises whether the converse of Theorem 1 holds as well. In other words, is it possible to translate default logic back into answer set programming? In the next section, we answer it positively.

<sup>4</sup> We use  $Th(S)$  to denote the deductive closure of a set  $S$  of formulas.

### 3 From default logic to answer set programming

This section translates Reiter's default logic in propositional case to answer set programming. We start with deeper analysis of the translation from ASP to DL, as mentioned in the previous section. Inspired from that, we present a natural translation from DL to ASP. Furthermore, we simplify the proposed translation with less additional rules. Finally, we discuss the problem of how many additional rules are needed.

To begin with, let us take a closer look at the translation from ASP to DL. In fact, this translation indicates that the rule of form (6) in ASP plays the same role of the default (7) in DL. This means, conversely, a specific kind of default, namely of form (7) plays the same role to an ASP rule, namely of form (6). Analogously, it suggests that a default of form (1) in DL, i.e.

$$\alpha : \beta_1, \dots, \beta_n / \gamma,$$

should play a similar role to

$$\gamma \leftarrow \alpha, \text{not } \neg\beta_1, \dots, \text{not } \neg\beta_n.$$

However, this is not exactly an ASP rule. To fix this problem, we can simply introduce a new atom  $p_\alpha$  for each formula  $\alpha$ . Then, analogous to the translation from ASP to DL, a default of form (1) in DL should play a similar role to the following rule in ASP:

$$p_\gamma \leftarrow p_\alpha, \text{not } p_{\neg\beta_1}, \dots, \text{not } p_{\neg\beta_n}. \quad (8)$$

Now, we have a naive translation from DL to ASP. Formally, let  $\Delta = \langle D, W \rangle$  be a default theory. We introduce a set of new atoms  $p_\alpha$  for each formula  $\alpha \in W \cup P_\Delta \cup \neg J_\Delta \cup C_\Delta$ .<sup>5</sup> Let  $r$  be a default of form (1), by  $R(r)$ , we denote the ASP rule of form (8). Let  $\Delta = \langle W, D \rangle$  be a default theory, by  $R(\Delta)$ , we denote the program

$$\{p_\alpha \mid \alpha \in W\} \cup \{R(r) \mid r \in D\}.$$

Indeed,  $R(\Delta)$  is the answer set program obtained from the default theory  $\Delta$  by mapping each formula occurred in the default theory to a corresponding new atom.

*Example 2.* Recall Example 1. According to the above definition,  $R(\Delta_1)$  contains the following rules:

$$\begin{array}{ll} p_{\neg b \vee \neg c} \leftarrow & p_b \leftarrow \text{not } p_a, \text{not } p_c \\ p_{c \vee d} \leftarrow & p_{\neg d} \leftarrow \text{not } p_{\neg(a \wedge \neg b)} \\ p_a \leftarrow \text{not } p_b & p_{\neg a} \leftarrow p_{\neg c}, \text{not } p_a. \end{array}$$

It can be checked that  $R(\Delta_1)$  has two answer sets:  $M_1 = \{p_{\neg b \vee \neg c}, p_{c \vee d}, p_a, p_{\neg d}\}$  and  $M_2 = \{p_{\neg b \vee \neg c}, p_{c \vee d}, p_b, p_{\neg d}\}$ . Compared to the extensions of  $\Delta_1$ , while  $M_1$  exactly corresponds to  $E_1$ ,  $M_2$  and  $E_2$  are not related.

<sup>5</sup> We use  $\neg J_\Delta$  to denote the set of formulas  $\{\neg\phi \mid \phi \in J_\Delta\}$ .

Let us take a closer look at Examples 1 and 2. One may observe that there is no extension of  $\Delta_1$  containing  $b$  when  $\neg d$  holds because  $W_1 \cup \{\neg d\} \models c$ , thus default (3) in  $\Delta_1$  will never be triggered. This is the reason why  $M_2$  fails to correspond to any extension of  $\Delta_1$ . Also, suppose that  $b$  is in an extension of  $\Delta_1$ . Then,  $\neg c$  must be in the extension as well because  $W \cup b \models \neg c$ . As such, default (5) in  $\Delta_1$  could be triggered so that  $\neg a$  is also in the extension. This explains why there is no answer sets of  $R(\Delta_1)$  corresponding to  $E_2$ .

In general, we can conclude that what is missing in  $R(\Delta)$  are the internal relationships among formulas in  $\Delta$ . By simply translating  $\Delta$  to  $R(\Delta)$ , some internal relationships among formulas are lost, which might be crucial for computing a default theory's extensions, for instance, the entailment relationship  $W_1 \cup \{\neg d\} \models c$  as discussed above.

Our main theoretical result in this paper is: together with the internal relationships,  $R(\Delta)$  exactly captures the extensions of  $\Delta$ . Formally, let  $\Delta$  be a default theory and  $F_\Delta = W \cup P_\Delta \cup \neg J_\Delta \cup C_\Delta$ . The set of *implication rules* of  $\Delta$ , denoted by  $I(\Delta)$ , is the set of rules of the form

$$p_\phi \leftarrow p_{\phi_1}, \dots, p_{\phi_n} \quad (9)$$

where  $\{\phi, \phi_1, \dots, \phi_n\} \subseteq F_\Delta$ ,  $\phi \notin \{\phi_1, \dots, \phi_n\}$  and  $\{\phi_1, \dots, \phi_n\} \models \phi$ .

Finally, let  $AS(\Delta) = R(\Delta) \cup I(\Delta)$ . The following theorem shows that  $AS(\Delta)$  exactly captures the extensions of  $\Delta$ . That is, the answer sets of  $AS(\Delta)$  is one-to-one corresponding to the extensions of  $\Delta$ .

**Theorem 2 (From DL to ASP).** *Let  $\Delta$  be a default theory and  $T$  a consistent theory.<sup>6</sup> Then,  $T$  is an extension of  $\Delta$  iff  $p_T$  is an answer set of  $AS(\Delta)$ , where  $p_T = \{p_\alpha \mid \alpha \in F_\Delta, T \models \alpha\}$ .*

*Proof (sketch).*<sup>7</sup> Firstly, it is observed that if  $T$  is an extension of  $\Delta$ , then there exists  $F \subseteq F_\Delta$  such that  $T$  is the deductive closure of  $W \cup F$ .

Now, suppose that  $T$  is an extension of  $\Delta$ . Then,  $p_T$  satisfies all rules in  $AS(\Delta)$  according to the definition. Thus,  $p_T$  satisfies  $AS(\Delta)^{p_T}$ . Assume that  $p_T$  is not an answer set of  $AS(\Delta)$ . Then, there exists  $X \subset p_T$  such that  $X$  satisfies  $AS(\Delta)^{p_T}$  as well. Let  $T'$  be the deductive closure of  $\{\alpha \mid p_\alpha \in X\}$ . Then, it can be checked that  $T'$  satisfies the conditions of the operator  $\Gamma$  with respect to  $T$  (note that  $X$  satisfies  $I(\Delta)$ ). Hence,  $\Gamma(T) \subseteq T'$ . In addition,  $T' \subset T$  since  $X \subset p_T$ . This shows that  $\Gamma(T) \subseteq T' \subset T$ , a contradiction.

On the other hand, suppose that  $p_T$  is an answer set of  $AS(\Delta)$ . Then,  $p_T$  satisfies each rule in  $R(\Delta)$ . Therefore,  $T$  satisfies the conditions of the operator  $\Gamma$  with respect to  $T$  itself. Hence,  $\Gamma(T) \subseteq T$ . Assume that  $\Gamma(T) \subset T$ . Then,  $p_{\Gamma(T)}$  satisfies  $R(\Delta)^{p_T}$  according to the definition of  $R(\Delta)$ . Also,  $p_{\Gamma(T)}$  satisfies  $I(\Delta)^{p_T}$  according to the definitions of  $I(\Delta)$  and  $p_{\Gamma(T)}$ . Hence,  $p_{\Gamma(T)}$  satisfies  $AS(\Delta)^{p_T}$ . In addition,  $p_{\Gamma(T)} \subset p_T$  since  $\Gamma(T) \subset T$ . This shows that  $p_T$  is not an answer set of  $AS(\Delta)$ , a contradiction.

<sup>6</sup> Here, we only consider consistent extensions. Inconsistency can be easily checked in default logic [21].

<sup>7</sup> Due to a space limit, proof in this paper, if given, are sketched.

Although  $AS(\Delta)$  exactly captures the extensions of  $\Delta$ , the implication rules in  $I(\Delta)$  could be a lot. Next, we propose several techniques to reduce the number of implication rules by the following observations:

- In ASP, suppose that there are two rules sharing the same head, the same negative body but one rule’s positive body is a subset of another’s. Then, the latter rule is “dummy” because these two rules are strongly equivalent to the former one [15]. Hence, we can only consider those “minimal” implication rules for a default theory  $\Delta$ .
- In DL, given a default theory  $\Delta = \langle W, D \rangle$ , all the extensions must contain  $W$ . Hence, we can fix  $W$  for the implication rules. That is, we can only consider those internal relationships (i.e. implication rules) generated from the set  $P_\Delta \cup \neg J_\Delta \cup C_\Delta$  under the context of  $W$ .
- Suppose that there exists an inconsistent (unsatisfiable) set of formulas. Then, for any other  $\phi$ , it generates an implication rule. Of course, this is not necessary. All we need is a constraint stating that these formulas (their corresponding atoms) cannot appear at the same time.
- Observed from Theorem 2.5 [20], all the extensions of a default theory  $\Delta$  can be rewritten as  $Th(W \cup C)$ , where  $C$  is a subset of  $C_\Delta$ . Hence, we only need to consider the implication rules whose heads are only from  $P_\Delta \cup \neg J_\Delta$  and bodies are only from  $C_\Delta$ .

Based on the above observations and discussions, we can simplify the implication rules as follows. Let  $\Delta = \langle W, D \rangle$  be a default theory. The set of *modified implication rules* of  $\Delta$ , denoted by  $I^*(\Delta)$ , is the set of rules of form (9), where

- either  $\phi$  is  $\perp$ ,<sup>8</sup>  $\phi_i \in C_\Delta$ ,  $W \cup \{\phi_1, \dots, \phi_n\}$  is unsatisfiable, and  $\{\phi_1, \dots, \phi_n\}$  is the minimal set satisfying the above conditions,
- or  $\phi \in P_\Delta \cup \neg J_\Delta$ ,  $\phi_i \in C_\Delta \setminus \{\phi\}$ ,  $W \cup \{\phi_1, \dots, \phi_n\}$  is satisfiable,  $W \cup \{\phi_1, \dots, \phi_n\} \models \phi$ , and  $\{\phi_1, \dots, \phi_n\}$  is the minimal set satisfying the above conditions.

*Example 3.* Recall  $\Delta_1$  discussed in Examples 1 and 2 again. According to the definition,  $I^*(\Delta)$  is the set of the following rules:

$$\begin{array}{ll} \perp \leftarrow p_a, p_{\neg a} & p_c \leftarrow p_{\neg d} \\ \perp \leftarrow p_b, p_{\neg d} & p_{\neg(a \wedge \neg b)} \leftarrow p_b \\ p_{\neg c} \leftarrow p_b & p_{\neg(a \wedge \neg b)} \leftarrow p_{\neg a} \end{array}$$

It can be checked that  $R(\Delta) \cup I^*(\Delta)$  has two answer sets:  $\{p_{\neg b \vee \neg c}, p_{c \vee d}, p_a, p_{\neg d}\}$  and  $\{p_{\neg b \vee \neg c}, p_{c \vee d}, p_{\neg a}, p_b\}$ , which are exactly corresponding to the extensions  $E_1$  and  $E_2$  of  $\Delta_1$  respectively.

In general, let  $AS^*(\Delta) = R(\Delta) \cup I^*(\Delta)$ . The following theorem shows that  $AS^*(\Delta)$  is enough to capture the extensions of  $\Delta$ .

<sup>8</sup> In this case, we define  $p_\perp$  as  $\perp$  for convenience.

**Theorem 3.** *Let  $\Delta$  be a default theory and  $T$  a consistent theory. Then,  $T$  is an extension of  $\Delta$  iff  $p_T^*$  is an answer set of  $AS^*(\Delta)$ , where  $p_T^* = \{p_\alpha \mid \alpha \in W \cup C_\Delta, T \models \alpha\}$ .*


Clearly, the atoms used in  $AS^*(\Delta)$  is linear with respect to the size of  $\Delta$ . However, although the number of implication rules in  $I^*(\Delta)$  is significantly reduced compared to  $I(\Delta)$ , there might be exponential number of such rules. It is well-known that checking whether a default theory in the propositional case has an extension is  $\Sigma_2^P$  complete [10], while checking whether a normal logic program has an answer set is NP complete [4]. So we can observe that the exponential size seems inevitable, providing some general assumptions in the complexity theory.

However, as we will show later in the experiments, the number of implication rules is not really explosive. This is also partially evidenced by the research of minimal unsatisfiable subset. For instance, the experiments in [14] showed that the number of MUS (corresponding to minimal implication rules in  $I^*(\Delta)$ ) is not big for many cases. Although simple, it is worth mentioning that if the default theory  $\Delta$  itself is ASP-like (i.e.  $W \cup C_\Delta \cup \neg J_\Delta \cup P_\Delta$  only contains atoms), then  $I^*(\Delta)$  is empty.

Encouraged by the above observations and the current sophisticated developments of efficient ASP solvers, we apply the theoretical results established in this section to a practical solver for default logic.

## 4 Implementation

Based on the translation proposed in Section 3 from default logic to answer set programming, we have implemented a new solver for default logic, called **dl2asp**, which computes all extensions of a given default theory. More precisely, the key idea of **dl2asp** is to translate a given default theory  $\Delta$  to  $AS^*(\Delta)$ . Then, by Theorem 3, the task of computing all the extensions of  $\Delta$  turns into computing all the answer sets of  $AS^*(\Delta)$ .



**Fig. 1.** Outline of **dl2asp**

Figure 1 illustrates how **dl2asp** works. An input default theory is firstly translated to an answer set program by the *translator* in **dl2asp**. Then, an *ASP solver* is called to compute the answer sets of the program. Finally, the answer sets will be interpreted back to extensions of the original default theory by an *converter*.

For the *ASP solver* module in **dl2asp**, we just use *clasp*<sup>9</sup>. The *converter* in **dl2asp** is trivial. As demonstrated in Theorem 3, one can simply interpret each

<sup>9</sup> <http://www.cs.uni-potsdam.de/clasp/>

atom in the answer sets to their corresponding formulas. Hence, the main issue in `dl2asp` is the *translator*.

Let  $\Delta = \langle W, D \rangle$  be a default theory. According to the construction,  $AS^*(\Delta)$  contains two parts, namely  $R(\Delta)$  and  $I^*(\Delta)$ . For  $R(\Delta)$ , we can first introduce a new atom  $p_\alpha$  for each formula  $\alpha \in F_\Delta$ , then get a new fact  $p_\alpha$  for each formula  $\alpha \in W$  and get a new rule of form (8) for each default in  $D$  of form (1). However,  $I^*(\Delta)$  is relatively difficult. The most technical part of `dl2asp` is to compute  $I^*(\Delta)$  - the set of modified implication rules.

For this purpose, we borrow some ideas and techniques of computing minimal unsatisfiable subsets from [14]. Let  $S$  be a set of formulas. A subset  $S'$  of  $S$  is a *Minimal Unsatisfiable Subset (MUS)* if  $S'$  is unsatisfiable and for any  $S'' \subset S'$ ,  $S''$  is satisfiable. Liffiton and Sakallah [14] developed a sound and complete algorithm, called CAMUS<sup>10</sup>, for computing all MUSes of a given set of clauses. However, instead of computing MUSes directly, they computed so-called MCSes first. Here, a subset  $S'$  of  $S$  is a *Maximal Correction Subset (MCS)* if  $S \setminus S'$  is satisfiable and for any  $S'' \subset S'$ ,  $S \setminus S''$  is unsatisfiable. MCS and MUS are closely related. In fact, all the MUSes are exactly all the minimal hitting sets of the collection of all MCSes. Here, given a collection of sets  $\Omega$ , a set  $H$  is a *minimal hitting set* of  $\Omega$  iff for all  $H_0 \in \Omega$ ,  $H \cap H_0 \neq \emptyset$  and there is no  $H' \subset H$  satisfying the above condition.

We now apply this method to compute all the modified implication rules (i.e.  $I^*(\Delta)$ ) in our translation. Let  $\Delta$  be a default theory. According to the construction,  $I^*(\Delta)$  contains rules of the form  $p_\phi \leftarrow p_{\phi_1}, \dots, p_{\phi_n}$ , where  $\{p_{\phi_1}, \dots, p_{\phi_n}\}$  is a minimal set such that  $W \cup \{\phi_1, \dots, \phi_n\} \models \phi$ . That is, it is a minimal set inconsistent with  $W \cup \{\neg\phi\}$ . In other words, it is an MUS of the set  $W \cup \{\neg\phi\} \cup C_\Delta$  by fixing  $W$  and  $\{\neg\phi\}$ . Hence, we can compute all the implication rules in  $I^*(\Delta)$  as follows:

**constraints** compute all the MUSes of  $W \cup C_\Delta$  by fixing  $W$ ;

**other implication rules** for all  $\phi_i \in \neg J_\Delta \cup P_\Delta$ , compute all the MUSes of  $W \cup \{\neg\phi_i\} \cup C_\Delta$  by fixing  $W$  and  $\{\neg\phi_i\}$ .

There are two major differences between this task and the one in [14] for computing all MUSes. Firstly, we need to fix some formulas, e.g. formulas in  $W$ . Secondly, we need to compute the MUSes for every  $\phi$  in  $P_\Delta \cup \neg J_\Delta$ . Clearly, the task of computing constraints can be considered as a special case of the second case. In `dl2asp`, we first compute constraints, then the other implication rules, where the latter is implemented by Algorithm 1.

Let us take a closer look at Algorithm 1. Step 1 fixes  $W$  as a background formula set. Steps 2-4 (Steps 5-6) add a selector variable  $x_i$  ( $y_j$ ) to the formula  $\neg\psi_i$  ( $\phi_j$  resp.). The *AtMost* constraint in Step 7 is provided by MiniSat [5] to restrict that at most one of  $\{x_1, \dots, x_m\}$  holds, and together with Step 8, exactly one of  $\{\neg\psi_1, \dots, \neg\psi_m\}$  holds. In fact,  $x_i$  is corresponding to those implication rules whose head is  $p_{\psi_i}$ . Steps 9-16 compute all the MCSes in a similar way to Figure 2 in [14] except that  $W$  and at most one of  $\psi_i$  are fixed. *SAT*

<sup>10</sup> <http://www.eecs.umich.edu/~liffiton/camus/>



in Step 10 and *IncrementalSAT* in Step 12 uses MiniSat's incremental solving ability to find a model of a formula. *BlockingClause* in Steps 14 and 15 is provided by CAMUS to block the MCS that obtained before. Steps 17-20 compute all the implication rules in the same way to computing MUSes in [14], where *ConstructMUS* is provided by CAMUS for computing all minimal hitting sets, and *Rewrite* is the function to rewrite an MUS to an implication rule of form (9), and delete those self implication rules like  $p_\phi \leftarrow p_\phi$  and those implication rules like  $p_\phi \leftarrow p_{\phi_1}, \dots, p_{\phi_n}$  when there is already a constraint  $\perp \leftarrow p_{\phi_1}, \dots, p_{\phi_n}$ .

---

**Algorithm 1:** Computing Implication Rules
 

---

**input** : A default theory  $\Delta = \langle W, D \rangle$ , where  $C_\Delta = \{\phi_1, \dots, \phi_n\}$  and  $P_\Delta \cup \neg J_\Delta = \{\psi_1, \dots, \psi_m\}$   
**output**: the set of non-constraint implication rules of  $\Delta$

```

1  $\Phi \leftarrow W$  // set  $W$  as background theory
2 forall  $1 \leq i \leq m$  do // add selector variables to  $\neg\psi$ 
3    $MCS(\neg\psi_i) \leftarrow \emptyset$ 
4    $\Phi \leftarrow \Phi \cup \{\neg\psi_i \vee \neg x_i\}$ 
5 forall  $\phi_j$  such that  $1 \leq j \leq n$  do // add selector variables to  $\phi$ 
6    $\Phi \leftarrow \Phi \cup \{\phi_j \vee \neg y_j\}$ 
7  $\Phi \leftarrow \Phi \cup AtMost(\{x_1, \dots, x_m\}, 1)$  // at most one of  $x_i$  holds
8  $\Phi \leftarrow \Phi \cup \{x_1 \vee \dots \vee x_m\}$  // at least one of  $x_i$  holds
9  $k \leftarrow 1$ 
10 while ( $SAT(\Phi)$ ) do // computing MCSes
11    $\Phi_k \leftarrow \Phi \cup AtMost(\{\neg y_1, \dots, \neg y_n\}, k)$ 
12   while ( $M = IncrementalSAT(\Phi_k)$ ) do
13      $MCS(\neg\psi_i) \leftarrow MCS(\psi_i) \cup \{\phi_j \mid y_j \in M\}$ 
14      $\Phi_k \leftarrow \Phi_k \cup BlockingClause(M)$ 
15      $\Phi \leftarrow \Phi \cup BlockingClause(M)$ 
16      $k \leftarrow k + 1$ 
17  $I^*(\Delta) \leftarrow \emptyset$ 
18 forall  $1 \leq i \leq m$  do // computing implication rules
19    $I^*(\Delta) \leftarrow I^*(\Delta) \cup Rewrite(ConstructMUS(\psi_i))$ 
20 return  $I^*(\Delta)$ 

```

---

*Example 4.* Again, recall  $\Delta_1$  discussed in Examples 1 and 2, and consider the formula  $\neg(a \wedge \neg b) \in \neg J_{\Delta}$ . According to Algorithm 1, we have  $MCS(\neg(a \wedge \neg b)) = \{\{b, \neg a\}\}$  and  $MUS(\neg(a \wedge \neg b)) = \{\{b\}, \{\neg a\}\}$ . So, we have two rules  $p_{\neg(a \wedge \neg b)} \leftarrow p_b$  and  $p_{\neg(a \wedge \neg b)} \leftarrow p_{\neg a}$  in  $I^*(\Delta_1)$  corresponding to the result above.

Finally, we end up this section by showing how the rest parts of dl2asp work for the example. By calling *clasp*,  $R(\Delta_1) \cup I^*(\Delta_1)$  has two answer sets:  $\{p_{\neg b \vee \neg c}, p_{c \vee d}, p_a, p_{\neg d}\}$  and  $\{p_{\neg b \vee \neg c}, p_{c \vee d}, p_{\neg a}, p_b\}$ . Then, the *convertor* just rewrite them as:  $\{\neg b \vee \neg c, c \vee d, a, \neg d\}$  and  $\{\neg b \vee \neg c, c \vee d, \neg a, b\}$ . In contrast with Example 1, these two formula sets are exactly the two extensions of  $\Delta_1$ .

## 5 Experimental Results

In this section, we report some experimental results of **dl2asp**. First, we briefly review some existing solvers for default logic, including DeReS, XRay, and GADEL. Unfortunately, we are unable to run them properly because these solvers are out of date, and the versions of softwares they used are too old to be compatible with current versions.

Nevertheless, it is still necessary to review these approaches, particularly their test data. The task of all these approaches is to compute all extensions of a given default theory. For this purpose, DeReS [3] directly uses search algorithms to compute the extensions. In [3], some benchmarks in graph theory, e.g. finding Hamiltonian circuit, are tested. Instead, XRay [18] is implemented by using Prolog, and supporting local proof procedures. XRay tested the Hamiltonian circuit problem as well and some contextual default theories randomly generated. GADEL [16] applies genetic algorithms to compute the extensions. GADEL tested the Hamiltonian circuit problem as well as a handed-coded default theory about relationships among people (Example 4.1, [16]).

Similarly, **dl2asp** intends to find all extensions of a given default theory as well. First of all, it is observed that if the default theory is ASP-like (i.e.  $W \cup C_\Delta \cup \neg J_\Delta \cup P_\Delta$  only contains atoms), then the set of implication rules is empty. Furthermore, if the default theory is disjunction-free (i.e. all the formulas occurred in the default theory are literals), then all the implication rules are constraints, and the total number is linear. This is because the implication rules can only be of the form  $\perp \leftarrow p_l, \text{not } p_{\neg l}$ , where  $l$  is a literal occurred in the default theory and  $\neg l$  is the complementary literal of  $l$ . In both cases, Algorithm 1 can find out all the implication rules immediately. Hence, it is not interesting to test such default theories for **dl2asp**.

However, most of the test benchmarks, e.g. the Hamiltonian circuit problem, belong to the above two categories. Therefore, in the section, we only report our experimental results for solving the people's relationship problem<sup>11</sup> (Example 4.1 in [16]), which is claimed difficult to be solved in default logic.

The system **dl2asp** is written in C++. The program is running on a machine with 4 processors (*AMD Athlon<sup>tm</sup> II X4 620*) under Ubuntu 9.10 Linux operating system. We record two series of time in seconds,  $time_t$  - the time for computing all implication rules and  $time_{all}$  - the overall time, taking the average of 3 runs.  $num_{I^*}$  is the number of the rules in  $I^*(\Delta_{\mathcal{P}})$ . The experimental results of the people's relationship problem are summarized in Table 1.

Although we do not intend to compare **dl2asp** with other solvers on this particular instance because of fairness reasons, we can see that **dl2asp** performs rather satisfactory on this benchmark. As an example, for  $woman \wedge student$ , while **dl2asp** only takes 0.3 seconds, GADEL and DeRes takes 1202 seconds and more than 7200 seconds respectively under their test environments (see Table 2 in [16]).

<sup>11</sup> For more details about this particular default theory, please refer to [16].

**Table 1.** Experimental results of the people’s relationship problem

	<i>boy</i>	<i>girl</i>	<i>man</i>	<i>woman</i>	$man \wedge student$	$woman \wedge student$
$num_{I^*}$	10	10	11	12	10	11
$time_t$	0.5134	0.5134	0.6427	0.7001	0.2453	0.2894
$time_{all}$	0.5227	0.5228	0.6534	0.7120	0.2520	0.2987

It can be observed from Table 1 that the most time-consuming part of dl2asp is the translation. By noticing this fact, we wonder whether this part can be improved. Also, it is possible to take some preprocesses, e.g. consistent checking of  $W$ , to reduce the time costs. We leave this for our future work.

A single example might not be enough. Hence, we intend to find more instances for testing dl2asp. A good idea is to consider a concrete application of default logic, where some instances can be generated. In the next section, we explore one particular application of default logic, namely the fair division problem in social choice theory.

## 6 Application to Fair Division Problem

In this section, we apply dl2asp for solving the fair division problem, which is one of the central problems in social choice theory. The problem of fair division is: given a set of agents, a set of goods and the preference among goods for each agent, to obtain a “fair” solution for allocating the goods to the agents [2].

Formally, a *fair division problem* is a tuple  $\mathcal{P} = \langle I, X, \mathcal{R} \rangle$ , where  $I = \{1, \dots, N\}$  is a set of agents,  $X = \{x_1, \dots, x_p\}$  is a set of indivisible goods, and  $\mathcal{R} = \{R_1, \dots, R_N\}$  is a preference profile, where each  $R_i$  is a reflexive, transitive and complete relation on  $2^X$ . An (*complete*) *allocation* for  $\mathcal{P} = \langle I, X, \mathcal{R} \rangle$  is a mapping  $\pi : I \rightarrow 2^X$  such that for all  $i$  and  $j \neq i$ ,  $\pi(i) \cap \pi(j) = \emptyset$ , and for every  $x \in X$  there exists an  $i$  such that  $x \in \pi(i)$ . An allocation  $\pi$  is (*Pareto*-) *efficient* iff there is no  $\pi'$  such that  $\pi'$  dominates  $\pi$ , where for two allocations  $\pi$  and  $\pi'$ ,  $\pi$  dominates  $\pi'$  iff for all  $i$ ,  $(\pi(i), \pi'(i)) \in R_i$ , and there exists an  $i$  such that  $(\pi'(i), \pi(i)) \notin R_i$ . An allocation  $\pi$  is *envy-free* iff  $(\pi(i), \pi(j)) \in R_i$  holds for all  $i$  and all  $j \neq i$ .

A preference  $R_i$  is *dichotomous* iff there exists a subset  $Good_i$  of  $2^X$  such that for all  $A, B \subseteq X$ ,  $(A, B) \in R_i$  iff  $A \in Good_i$  or  $B \notin Good_i$ . A dichotomous preference can be naturally represented by a single propositional formula, where variables correspond to goods. Given a dichotomous preference  $R_i$ , we can always use formula  $\phi_i = \bigvee_{A \in Good_i} (\bigwedge_{x \in A} x \wedge \bigwedge_{x \notin A} \neg x)$  to represent  $R_i$ . Thus, a fair division problem with dichotomous preference  $\mathcal{P} = \langle I, X, \mathcal{R} \rangle$  can always be represented by  $\langle \phi_1, \dots, \phi_N \rangle$ , and  $I$ ,  $X$  and  $\mathcal{R}$  are obviously determined from  $\langle \phi_1, \dots, \phi_N \rangle$ . The following proposition shows that for fair division problem with dichotomous preference, it can be translated into default logic.

**Proposition 1 (Proposition 3, [2]).** *Let  $\mathcal{P} = \langle \phi_1, \dots, \phi_N \rangle$  be a fair division problem. Let  $\Delta_{\mathcal{P}}$  be the default theory  $\langle \Gamma_{\mathcal{P}}, \Phi_{\mathcal{P}} \cup \{\neg \Lambda_{\mathcal{P}} : / \perp\} \rangle$ , where*

- $\Gamma_{\mathcal{P}} = \bigwedge_{x \in X} \bigwedge_{i \neq j} \neg(x_i \wedge x_j)$ ,
- $\Lambda_{\mathcal{P}} = \bigwedge_{i=1, \dots, N} \left[ \phi_i^* \vee \left( \bigwedge_{j \neq i} \neg \phi_{j|i}^* \right) \right]$ , and
- $\Phi_{\mathcal{P}}$  is the set of defaults of the form  $\phi_i^* / \phi_i^*$ ,  $i = 1, \dots, N$ ,

where  $\phi_i^*$  is obtained from  $\phi_i$  by replace every variable  $x$  by a new symbol  $x_i$ , and  $\phi_{j|i}^*$  is obtained from  $\phi_i^*$  by replace every symbol  $x_i$  by  $x_j$ . Then, each extension of  $\Delta_{\mathcal{P}}$  is corresponding to an efficient and envy-free allocation of  $\mathcal{P}$ .

**Table 2.** Experimental results of Fair Division Problem

<i>(goods, agents)</i>	(3, 4)	(4, 4)	(4, 6)	(4, 8)	(4, 10)	(4, 15)	(4, 20)	(4, 25)
<i>num<sub>I*</sub></i>	1	1	1	1	14	21	410	460
<i>time<sub>t</sub></i>	0.0213	0.0267	0.0653	0.2213	0.4427	1.7534	21.8267	33.2407
<i>time<sub>all</sub></i>	0.0333	0.0547	0.1000	0.2787	0.5320	1.9148	22.2241	33.8248
<i>EXT</i>	0	0	0	0	5	13	170	177

Based on this result, we are able to use **dl2asp** to compute all efficient and envy-free allocations for a given fair division problem. Our experimental results are shown in Table 2. Given the numbers of goods and agents, we randomly generate a fair division problem instance, then compute all the extensions of the default theory according to Proposition 1. *EXT* is the number of extensions returned by **dl2asp** and *num<sub>I\*</sub>*, *time<sub>t</sub>* and *time<sub>all</sub>* are the same as those in Table 1.

## 7 Conclusions and future work

This paper contributes the study of default logic both from a theoretical and a practical point of view. Theoretically, we showed that default logic can be translated into answer set programming by identifying the internal relationships (i.e. implication rules) among formulas (Theorem 2), and indeed, the number of such implication rules can be largely reduced (Theorem 3). Practically, based on the above translation, we developed a new solver - **dl2asp** - for implementing default logic via answer set programming. Our experimental results (Table 1) illustrated that the performance of **dl2asp** is rather satisfactory, which is further confirmed by applying **dl2asp** to solving the fair division problem (Table 2).

For future work, one important task is to develop more techniques for improving **dl2asp**, especially for computing the implication rules. Another work worth pursuing is to extend **dl2asp** for more expressive default logics, such as disjunctive default logic [9] and general default logic [21]. Last but not least, it is interesting to explore more applications of default logic by using **dl2asp**.

## Acknowledgments

We thank Jérôme Lang for his comments on Fair Division Problem. The first author is partially supported by Natural Science Foundation of China under

grant NSFC60705095 and Natural Science Foundation of Guangdong Province, China under grant GDSF07300237. This research is supported in part by an Australian Research Council Linkage Project grant LP0883646.

## References

1. A. Bochman. Default logic generalized and simplified. *Ann. Math. Artif. Intell.*, 53(1-4):21–49, 2008.
2. S. Bouveret and J. Lang. Efficiency and envy-freeness in fair division of indivisible goods: Logical representation and complexity. *Journal of Artificial Intelligence Research (JAIR)*, 32:525–564, 2008.
3. P. Cholewinski, V.W. Marek, M. Truszczyński, and A. Mikitiuk. Computing with default logic. *Artificial Intelligence (AIJ)*, 112(1-2):105–146, 1999.
4. E. Dantsin, T. Eiter, G. Gottlob, and A. Voronkov. Complexity and expressive power of logic programming. *ACM Comput. Surv.*, 33(3):374–425, 2001.
5. N. Eén and N. Sörensson. An extensible SAT-solver. In *SAT*, pages 502–518, 2003.
6. M. Gebser, B. Kaufmann, A. Neumann, and T. Schaub. Conflict-driven answer set solving. In *IJCAI*, pages 386–392, 2007.
7. M. Gelfond and V. Lifschitz. The stable model semantics for logic programming. In *ICLP/SLP*, pages 1070–1080, 1988.
8. M. Gelfond and V. Lifschitz. Classical negation in logic programs and disjunctive databases. *New Generation Comput.*, 9(3/4):365–386, 1991.
9. M. Gelfond, H. Przymusińska, V. Lifschitz, and M. Truszczyński. Disjunctive defaults. In *KR*, pages 230–237, 1991.
10. G. Gottlob. Complexity results for nonmonotonic logics. *Journal of Logic and Computation*, 2:397–425, 1992.
11. T. Janhunen. On the intertranslatability of autoepistemic, default and priority logics, and parallel circumscription. In *JELIA*, pages 216–232, 1998.
12. N. Leone, G. Pfeifer, W. Faber, T. Eiter, G. Gottlob, S. Perri, and F. Scarcello. The dlvs system for knowledge representation and reasoning. *ACM Trans. Comput. Log.*, 7(3):499–562, 2006.
13. Y. Lierler and M. Maratea. Cmodels-2: Sat-based answer set solver enhanced to non-tight programs. In *LPNMR*, pages 346–350, 2004.
14. M.H. Liffiton and K.A. Sakallah. Algorithms for computing minimal unsatisfiable subsets of constraints. *Journal of Automated Reasoning (JAR)*, 40(1):1–33, 2008.
15. F. Lin and Y. Chen. Discovering classes of strongly equivalent logic programs. *J. Artif. Intell. Res. (JAIR)*, 28:431–451, 2007.
16. P. N., F. Saubion, and I. Stéphan. Gadel: a genetic algorithm to compute default logic extensions. In *ECAI*, pages 484–490, 2000.
17. P. Nicolas, F. Saubion, and I. Stéphan. Heuristics for a default logic reasoning system. In *IJAIT*, 10(4):503–523, 2001.
18. P. Nicolas and T. Schaub. The xray system: An implementation platform for local query-answering in default logics. In *Proceedings of Applications of Uncertainty Formalisms*, pages 354–378, 1998.
19. I. Niemelä and P. Simons. Smodels - an implementation of the stable model and well-founded semantics for normal lp. In *LPNMR*, pages 421–430, 1997.
20. R.Reiter. A logic for default reasoning. *Artificial Intelligence (AIJ)*, 13(1-2):81–132, 1980.
21. Y. Zhou, F. Lin, and Y. Zhang. General default logic. *Annals of Mathematics and Artificial Intelligence*, 2010(to appear).